QUARTER SQUARE TRIANGLES

YVONNE FUCHS



SINGLE BURST MINI QUILT

Light Value Fabric – Fat Quarter

Cut (1) 8 ½" square

Medium Value Fabric - 3/8 yard


- Cut (1) 8 ½" x WOF strip
 - Subcut (2) 8 ½" and (2) 8" squares
- Pair (1) Light value and (1) Medium value 8 ½" square right sides together (RST). Using a fabric marking device of your choice, draw a line diagonally on the wrong side of the lighter fabric. Sew a scant ¼" seam allowance on either side of the marked line. Cut apart on the marked diagonal line.
- 2. Repeat with (1) Medium value and (1) Dark value 8 ½" square.
- Press all seams toward the Medium value fabric to create (4) halfsquare triangles (HSTs) and leave untrimmed.


Dark Value Fabric – ½ yard

- Cut (1) 8 1/2" x WOF strip
 - Subcut (1) 8 1/2" and (2) 8" squares
- Cut (2) 2 1/2" x WOF strips
 - Subcut (2) 2 ½" x 21" and (2) 2 ½" x 18 ½" rectangles


Backing - 24" x 30" rectangle / 3/4 yard

Binding – 3/8 yard






4. Pair (1) Light/Medium HST and (1) Medium/Dark HST RST nesting the seams. Draw a line diagonally on the wrong side of the lighter HST. Sew a scant ¼" seam allowance on either side of the marked line. Cut apart on the marked diagonal line. Press seams open. Trim to create (2) 7 ½" hourglass blocks.



5. Pair (1) Medium value and (1) Dark value 8" square RST. Draw a line diagonally on the wrong side of the lighter fabric. Sew a scant 1/4" seam allowance on either side of the marked line. Cut apart on the marked diagonal line. Press seams open. Repeat and trim to create (4) 7 1/2" HSTs.



QUARTER SQUARE TRIANGLES

YVONNE FUCHS



- 6. Arrange blocks as shown in the Single Burst Mini Quilt Assembly Diagram. Pressing seams open, blocks into rows and rows together. Pressing seams open, sew the 2 $\frac{1}{2}$ " x 21 $\frac{1}{2}$ " rectangles to the sides and then the 2 $\frac{1}{2}$ " x 21 $\frac{1}{2}$ " rectangles to the top and bottom to make an 18 $\frac{1}{2}$ " by 25 $\frac{1}{2}$ " quilt top.
- 7. Layer backing (wrong side up), batting, and quilt top. Baste the layers together using your preferred method. Quilt as desired.
- 8. From binding fabric, cut (3) 2 ½" x WOF strips and join the strips together using your preferred joining technique to create a double folded binding roll. Trim quilt square and bind using your favorite binding technique.

The Single Burst Mini Quilt can be a great practice piece to apply the tips for piecing precision that I cover in the Fresh Quilting technique segment. I would love to see what you create using this pattern, so feel free to tag me on Instagram (@quiltingjetgirl), use #SingleBurstMiniQuilt, or email me a photo of your finished quilt (jetgirl8(at)gmail(dot)com).

ABOUT YVONNE FUCHS

Email jetgirl8@gmail.com

Quilting Jetgirl http://quiltingjetgirl.com/


Quilt Theory http://quilttheory.com/

Facebook https://www.facebook.com/quiltingjetgirl/

Instagram https://www.instagram.com/quiltingjetgirl/

Pinterest https://www.pinterest.com/quiltingjetgirl/

You Tube https://www.youtube.com/user/jetgirl8/



Single Burst Mini Quilt Assembly Diagram

UNDERWRITTEN BY:









JANOME HORIZON MEMORY CRAFT 9400

SEWING MACHINE SPECS



JANOME HORIZON MEMORY CRAFT 9400

http://janome.com/en/machines/sewing/9400/

The time spent behind your sewing machine is some of the most precious, so you deserve a machine that lets you get the most out of it. Created with special, easy and time-saving features, the Horizon Memory Craft 9400 is unlocking limitless possibilities for quilters to escape into a world of pure creativity. Quilters now have a full 11" of bed space to the right of the needle to store extra fabric from a quilt. In addition, quilters can enjoy exceptionally smooth quilt piecing with the included AcuFeedTM Flex Layered Fabric Feeding System; achieve faster performance with a sewing speed of 1,060 SPM and view their work, shadow-free, with the machine's retractable High LightTM. Navigation through all of these features has become easier with the MC9400's new LCD color touchscreen.

- Top loading bobbin system
- Straight stitch needle plate included
- Maximum sewing speed: 1,060 stitches per minute
- Improved ergonomic shape
- One-step needle plate conversion with 3 needle plates
- Create your own decorative stitch with Stitch Composer
- Full Intensity lighting system with cool touch LED lamps
- Superior needle threader
- Detachable AcuFeed Flex Layered Fabric Feeding system
- Variable zig zag
- Advanced needleplate markings
- Sewing Applications on-screen support
- 11" to the right of the needle
- retractable and adjustable sewing light





janome.com

QUARTER SQUARE TRIANGLES

YVONNE FUCHS



PAINTBRUSH STUDIO

PAINTER'S PALETTE SOLIDS

The following fabrics were used during this segment:

Light Value Fabric – Painter's Palette Solids in Pale Aqua

Medium Value Fabric – Painter's Palette solids in Cyan

Dark Value Fabric – Painter's Palette solids in Gulf Stream

Backing – Painter's Palette solids in Gulf Stream

Binding – Painter's Palette solids in Pale Aqua, Cyan, and Gulf Stream

LEARN MORE

paintbrushstudiofabrics.com

UNDERWRITTEN BY:



